Ouriginal

Moodle Integration and Installation Manual

Admin Guide

About Ouriginal Integration with Moodle

Ouriginal can be added to an institutional LMS through an API integration. The integration allows the institutional Admin User(s) access to the Ouriginal tool features through their LMS without having to make changes to the LMS properties. For instance, Moodle institution Admin User(s) can add the Ouriginal tool to their Moodle, making it available to instructors as a preconfigured tool for their courses.

Basic **Ouriginal** Integration Instructions for Moodle

In your browser, go to https://moodle.org/plugins/pluginversions.php?plugin=plagiarism_urkund and download the latest version of the Moodle Ouriginal plugin. The download will be in a zip file and looks like the image below.

-
1000 (1)
🗹 🔋 plagiarism_urkund_moodle38_201912

Login to Moodle and navigate to Site Administration, select Plugins and then Install Plugins. Drag or upload the Zip File and select Install Plugin from ZIP file to download your newest version of the Ouriginal Moodle app.

Plugin installer		
	Install plugins from the Moodle plu	gins directory
 Install plugin from ZIP file 	•	
ZIP package • 💮	Choose a file	
	Accepted file types: Archive (ZIP) .zip Show more	
	Install plugin from the ZIP file	

In Site Administration, select Advanced Features. Scroll down and select the radio button for Enable Plagiarism Plugins and then Save Changes.

Urkund Dashboard / Site adm	inistration	/ Search						
Site administ	ration	1					Search	
Site administration	Users	Courses	Grades	Plugins	Appearance	Server	Reports	Development
					No Reg	tifications gistration		
					Mo	odle service vanced feat		

	when enabled, this tets you set conditions (based on bate, grade, or completion) that control whether an activity or resource can be accessed.
Enable plagiarism plugins	Default: No
	This will allow administrators to configure plagiarism plugins (if installed)
Enable badges	Default: Yes
	When enabled, this feature lets you create badges and award them to site users.
Enable global search enableglobalsearch	Default: No
	If enabled, data will be indexed and syncronised by a scheduled task.
Allow stealth activities allowstealth	Cefault: No
	If enabled, activities can be made available but not shown in visible sections of the course page. If so, links to stealth activities must be provided from elsewhere, such as from a page resource. Stealth activities are still listed in the gradebook and other reports.
	Save changes

Now under Site Administration select Plugins -> Plagiarism -> Ouriginal plagiarism plugin.

Urkund	
Dashboard / Site administratio	n / Plugins / Plagiarism / URKUND plagiarism plugin
URKUND plagiarism plugin	URKUND defaults Debugging
For more information on this plu	ugin see: http://www.urkund.com/int/en/



Ouriginal Configuration Instructions

Remain in Ouriginal plagiarism plugin window. Be sure the Enable Ouriginal radio button is selected; and that you enter the Ouriginal Integration Address: https:// secure.urkund.com

URKUND plagiarism plugin	URKUND	default	s Debugging
For more information on this plugi	n see: <mark>http</mark>	://www	/urkund.com/int/en/
URKUND Integration Addres	s 🕕	0	https://secure.urkund.com,
Username	0	0	u4703_moodle
	0	0	1.0

Enter the Username and Password that Ouriginal supplied to you previously (typically via email). Also, in the Unit ID field, add only the number part of your username. For example, if your Username is "u4703-moodle", then enter "4703" in the field.

URKUND plagiarism plugin	
URKUND plagiarism plugin	URKUND defaults Debugging
For more information on this plu Enable U	igin see: http://www.urkund.com/int/en/
URKUND integration address	The second
Username	0 u4703_moodle
Passwo	
Unit	ID 🕜 4703

Still in Ouriginal plagiarism plugin, configure the following as your institution deems fit:

- Student Disclosure, (these categories are defined in the glossary at the end of this guide)
- Show Opt-Out Link, (these categories are defined in the glossary at the end of this guide)
- Hide Submission Filename, these categories are defined in the glossary at the end of thisguide)
- Minimum Character Count (these categories are defined in the glossary at the end of thisguide), and in which parts of the Moodle course that you want to have Ouriginal enabled.

Save any changes you made.

Student Disclosure	All files uploaded will be submitted to the plagiarism detection service URKUND, If you wish to prevent your document from being used as a source for analysis outside this site by other organisations you can use the opt-out link provided after the report has been generated.
show opt-out link	Disabling this will remove the option for students to unhide or hide (depending on the default setting) the content of their texts should they be found as a match in other clients' students' papers ("opt-in" and "opt-out"). By deactivating this feature, you certify that you will take responsibility for managing the copyright of your students' submissions and that this does not contravene laws applicable in your country.
Hide submission filename	Enabling this will pass a generic filename to URKUND so students cannot see the filename of any sources that match an existing submission.



Ouriginal is now installed in your Moodle LMS and can be used immediately!



Ouriginal configurations (Default Settings, etc.)

In **Ouriginal** plagiarism plugin, select **Ouriginal** Defaults tab and configure the following:

- **1.** Will Ouriginal be enabled in all new assignment by default?
- **2.** When (if ever) should the Similarity Score or Similarity Report be visible to the Student?
- 3. When should the submitted files be sent to Ouriginal?
- 4. What file types and in-line texts are acceptable?
- 5. Whether to send an automatic email from Moodle (only) to students?
- 6. Which file types can be submitted to Ouriginal, and if necessary, which ones?

NOTE: Ouriginal supports the following file formats:

.doc, .docx, .xls, .xlsx, .sxw, .ppt, .pptx, .pdf,2.0, .txt, .rtf, .html, .htm, .wps, .odt, .odp, .ods, .tif, .tiff, .ps, .hwp, .pages (4)

7. What settings in your Moodle instance will you want to consider as 'Advanced' features? – 'Advanced' means that it cannot be changed when a teacher creates an assignment afterthis setting has been configured.

URKUND plagiarism plugin URKUN	ID defaults Debugging
The following settings are the defaults set	when enabling URKUND within an Activity Module
Default assign settings	
Enable URKUND	Yes 🗸 🚺
Show similarity score to student	Never
Show similarity report to student	Never v 2
When should the file be submitted	Submit file when first uploaded
Resubmit on close	No
Submit attached files and in-line text	Submit everything ~ 4
Send student email ⑦	No ~ 5
Allow all supported file types ①	Yes 🗸 🙆
File types to submit	doc docx sxw pdf
Set of settings to consider advanced	Enable URKUND Show similarity score to student Show similarity report to student When should the file be submitted



Default permissions are given to all teachers and managers to Enable or Disable Ouriginal within Moodle modules. However, this can be changed by the Admins under: Users > Permissions > Define Roles > Manage Roles >. Select the 'Gear' to edit the Teacher.

\smile	Users		Typer old the shade	nte Movime-ourmities. Allow mie-puttiens. Miller vale to vieu		
	Accounts	Browse list of users Bulk user actions	Rie (j	Desclytes	Stort same	6dt
		Add a new user User default preferences	Manger	Managem can occess on one and modify them, they usually do not participate in courses	r ange	+ 0 0
		User profile fields Cohorts	Crain owice	Course creation can create new courses.	coarse creator	
		Upload users Upload user pictures	late	Teachers can be anything within a county, including dranging the activities and grading shed ants	eikingzacher	++0
			for day texts	Non-acting loadies; can least-measures and guide statemic submay not also activates.	Rescret	***
	Permissions	User policies	Sube	States's greenly have lever privleges within a conset.	statient	
		Define roles	Q.er	Guests have minimal pilologes and usually can not erfor test organizer.	part	
		Check system permissions	Acherticated une	sillaged a uses	#397	++0
		Capability overview Ausign user roles to cohort.	Authenticated upor or horizoge	Sillinged in uses in the hontpage course.	torpoge	+ 0.0
		Unsupported role assignments	The second se			

OPTIONS:

Under Manage Roles, you can choose to allow only certain teachers to have access to the Ouriginal app. First select 'Enable Ouriginal' to 'No' in the Default settings. Then under Manage Roles, select which User Roles you want to have access to Ouriginal and how. Select the Edit Gear for the Role you want to change. Under the User Role, scroll to Ouriginal plagiarism plugin for choices.

		Urkund	te administratio	n / Plugins /	Plagiaris	m / UR	KUND pla	igiarism plu	igin
		URKUND plag The following set Default a Enable URKU	iarism plugin ttings are the de assign set ND	URKUND de rfaults set wher tings	aults enabling		ing D within ar	n Activity N	Aodule
		-			<u> </u>				
tarage roles Altree role and pre	menti Alton nia mentika Alton nia minihari Alton nia no ese		Short same	Let					
mage roke Allow roke assigner • O	ment Allow the section. Allow the sub-test Allow the role we Description Messages are across source and readily from, here passing does do	alight increas,	Bart name Transpir	***	Γ				
nage roles 4 6 mage mage mage mage mage mage mage mage	After the sendide After the seldyst After the rese Descliption Messages and econs score and ready from, frag usually do not produce the storage.	aligate incomes,	Short name manager - sturger weber	50 • • • 5					
naga mbas 🛛 Albus mba asalgan Regim Tau cuattor Tau	Alter ole samble : Alter ole subject : Alter ole over Preventer Manages can associate and motify from, they wantly do not a Can be credited one sources. Subjects and anything within a count, locking damping from at	aftigate in nares.	Shet same twoage storage state of the same						
nage relac # C mage relac mage relacion mage relacion relacione relacio	Kite of a senior Man of a sicher Attention Kite of a senior Kenetplan Menages on each senior senior senior senior senior Ander senior senior senior senior senior senior Kenetplane Kene	ath lade in conces. Initia and guiley tubets. ay not after activities.	Sectione Incoge Duracenter officipacher Isabe	50 •••• •••• ••••					
naga olar R Q R Q R Q R Q R Q R Q R Q R Q R Q R Q	After the section More the adviser. After the over Receipter Measure on access soor end ready here, here used to set Could predict pre-term instance and ready here, here used to set Sections on the applicing within a source, including, usering here at Receipting the section can be available patholice above.	atilydd innenn, hlfes and gradeg dodote, og o'r drif a sildine,	Sheri name managa touraquatir attinguachar bacha tourac	50 • • • • • • • • • • • • •					
naga roka 🤉 Jakoo roka aaligar 14 G 14 G 14 G 14 C 14 C 14 C 14 C 14 C 14 C 14 C 14 C	Alter of a setting Alter of a setting Alter of a setting Becogets Becogets and setting and the set of the set of a setting of the set of the setting and the setting of the set of the setting and the setting a	ath Juli in mann, Milles and y adhre, Soline, my ut after a Soline,	Bertame Inneys Doscenter Independer Inder Inder Inder	547 • • • 0 • • • • 0 • • • • 0 • • • • • 0 • • • • • 0 • • • • • • • • • • • • • • • • • • •					
enge role: Also role anigor Right	Alter of a sample. After other surface of the one Alter other samples Alter other samples	effigiel in orașe, filte el guelg fadori, oș ot deve siden	Betane Insugn Discutor abispache Italia Italia gont User	La 					

Destioned / Stendeninkhology / Uses / Perm	salars / Define roles
Managerulus Allowedda assignawedda All	car nde caarridee - Alban nake anliches - Alban nake ke akan
Viewing the definition of rol	e 'Teacher'e
Edit Faunt Expert Exitations	
Short name 😦	aftiquatur
Cutton full name o	inadust
Custom description @	wadness can do anything settion a course, including changing the actual iso and gooding muderers
fole archetype 😝	AICHE NPL: Booker (editing)
Cartail types where this role may be assigned	Spring
Allena este moigereente	Non-colling teacher, Student
Allow role ownerldes.	Non-celling tracher, Student, Gand
Allese rele valiebres	Non-colling inactor, Budieti, Gand
Allow stir to since	Diane central, Traches, Nen-odiling loscher, Stadout
And this	
	the loss
Capability	Permission () Risks
Block: Learning plans	
Add a new tearning plans block	Album
block/gravit/reciance	Carlouit Not est
System	
Edit and manager unlikes	And a second sec
Full and manage external literal	Allow
manufic function of the local division of th	

URKUND plagiarism plugin	
Allow the teacher to view advanced module settings from URKUND plagiarism/urkund:advancedsettings	☑ Allow
Allow the teacher to enable/disable URKUND inside an activi plagiarism/urkund:enable	y 🗷 Allow
Allow the teacher to resubmit the file to URKUND after an error plagiarism/urkund:resetfile	☑ Allow
Allow the teacher to resubmit ALL files to URKUND plagiarism/urkund:resubmitalIfiles	Prevent Use 'Show advanced' to change
Allow the teacher to resubmit files on close/due date to URKUND plagiarism/urkund:resubmitonclose	☑ Allow
Allow the teacher to view the full report from URKUND plagiarism/urkund:viewreport	



Moodle Glossary Terms

Student Disclosure Statement – This statement is displayed to all students on the upload screen to notify them that the Ouriginal system is in use.

Opt-Out from Ouriginal - The content of the student's document will not be shown should it be found as a match in other client/institution student papers.

Hide Submission Filename – This defines whether the file name should be hidden or

masked before the document is submitted to Ouriginal.

Minimum Word Count – This is the minimum number of words that a document must have for it to be submitted to Ouriginal.

Advanced Settings - Meaning that a feature setting cannot be changed when a teacher creates an assignment after this has been configured.